Product and Company Identification

Product Name ACP-Laundry Detergent

Synonyms N/A CAS Number mixture

Product Use & Industrial Cleaning Product

Code 2503#050B59

Manufacturer Advanced Blending, Inc. 5230 SE Loop 820 Forest Hills, TX 76140 **Company** Navy Brand Manufacturing Company **Address** 3670 Scarlet Oak Blvd.

3670 Scarlet Oak Blvd. St. Louis, MO 63122

Telephone 636.861.5500

Emergency Number - CHEMTREC (USA): 1-800-424-9300

Hazards Identification

Emergency Overview: WARNING! Causes serious eye irritation. Causes mild skin irritation. Hygroscopic. Keep out of reach of children. Avoid contact with skin, eyes and clothing. Harmful to aquatic life.

Skin: Causes mild skin irritation. **Eyes:** Causes serious eye irritation.

Inhalation: Avoid breathing dust. Prolonged or excessive inhalation may cause respiratory tract irritation or burns of the mucous

membranes.

Ingestion: Not considered a potential route of exposure. Ingestion can cause irritation of the mouth, throat and esophagus. **Chronic exposure:** Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible person. No known carcinogenic effects.

SYMBOLS



Precautionary Statements

Read label before use. Keep away from children.

Wash hands thoroughly after handling.

Wear protective gloves, eye and face protection.
Use only outdoors or in well-ventilated areas.
Do not eat, drink or smoke when using this product.

3. Composition / Information on Ingredients

Component	CAS Number	Weight %
sodium carbonate	497-19-8	< 8.0
Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts	68081-81-2	< 2.0

4. First Aid Measures

Eye Possible eye irritation. Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held

away from the eyeball to ensure thorough rinsing. Get immediate medical attention.

Skin Possible skin irritation. Flush immediately with large amounts of water while removing contaminated clothing. Wash

contaminated clothing before reuse.

Inhalation Possible nasal irritation. Remove exposed person from source of exposure to fresh air.

Ingestion Drink copious amounts of water. Seek medical attention. Do not induce vomiting unless directed by medical personnel.

Suitable Extinguishing Meida

Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective but should be used to cool fireexposed containers, structures and to protect personnel. Use water to dilute spills and to flush them away from sources of ignition.

Fire Fighting **Procedures**

Do not flush down sewers or other drainage systems. Exposed firefighters must wear NIOSH approved positive pressure self contained breathing apparatus with full mask and full protective clothing.

Unusual Fire and Explosion Hazards

Not considered to be a fire hazard.

Combustion **Products**

Irritating substances may be emitted upon thermal decomposition. Thermal decomposition products may include carbon oxides and hydrogen chlorides.

Use suitable safety equipment including nitrile gloves and safety glasses. Stop leak if possible to do so without risk.

Small spills clean up with sand or other noncombustible absorbent material and place into containers for later disposal. Large spills contain with dike ahead of spill for later disposal. (See Section 8) Flush with water to clean contaminated area. Do not flush to sewer or waterways. Prevent release to the environment if possible.

Handling Do not get in eyes, on skin or clothing. Do not breathe vapor or mists. Keep container closed. Use with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking or smoking. Remove contaminated clothing and clean before re-use.

Storage

Store in tightly closed containers in cool, dry, well-ventilated area away from heat, sources of ignition and incompatibles. Ground lines and equipment to reduce possibility of static spark initiated fire. Store between 0 C (32 F) - 37.7 C (100 F). Best if stored out of direct sunlight. Keep container closed and upright when not in use. Protect container against physical damage.

Exposure Limits

Occupational exposure limit is based on irritation effects and its adjustment to compensate for unsual work schedules is not required.

Engineering Controls

Local enhaust ventilation may be necessary to control ventilation for confined spaces. Use explosion proof ventilation

equipment.

Personal Protective Eye Protection **Equipment (PPE)**

Wear chemical saftey goggles (glasses). Have eye wash stations available where eye

contact can occur.

Skin Protection Avoid skin contact. Wear gloves impervious to conditions of use. Additional protection

may be necessary to prevent skin contact including apron, face shield or boots.

Respiratory Protection If exposure limits are exceeded, NIOSH approved repiratory protection should be worn.

For unknown concentrations and for oxygen deficient atmospheres use a NIOSH

approved air supplied respirator.

Physical and Chemical Properties

Flash Point > 93 C (200 F) **Lower Flammability Limit** N/A **Autoignition Temperature Upper Flammability Limit** N/A N/A Specific Gravity (g/cm³ @ 25 C) **Boiling Point** N/A 2.2 **Melting Point** N/A % Volatile N/A Evaporation Rate (water=1) Vapor Pressure N/A N/A Vapor Density (Air=1) N/A Viscosity (cP) N/A Solubility in water soluble **Octanol/Water Partition Coefficient** N/A **Pour Point** N/A pH (5% in water @ 25 C) 7 - 10 Odor N/A **Molecular Weight** mixture white granular powder **Appearance**

10. Stability and Reactivity

Chemical Stability Stable

Possibility of Hazarous Reactions Hazardous polymerization will not occur

Conditions to Avoid None known

Incompatible Materials strong acids, strong oxidizers, metal, water/moisture

Hazardous Decomposition The following may form during or at extremely high temperatures: carbon oxides, hydrogen chloride

11. Toxicological Information

Signs and Symptoms of Overexposure Eye and nasal irritation with itching of the skin.

Acute Toxicity

Route of exposure (sodium carbonate)

Oral LD50 2800 mg/kg Rat Male/female Experimental value Dermal LD50 >2000 mg/kg Rabbit Experimental value Inhalation LC50 2.30 mg/l 2 h Rat Male Experimental value

Route of exposure Result Method Exposure time Time point Species Value determination Eye Irritating EPA 16 CFR 1500.42 1; 2; 3; 4; 7; 10; 14 Rabbit Experimental value

days

Highly irritating Equivalent to OECD

405

Eye 1; 24; 48; 72; 168 Rabbit Experimental value

hours

Dermal Not irritating OECD 404 24; 48; 72 hours Rabbit Experimental value

Inhalation (aerosol) Slightly irritating Literature

(Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts)

Ingestion LD50 Oral - rat - 1470 mg/kg

Chronic Toxicity None known

Eyes None known Skin None known Inhalation None known

Ingestion Repeated ingestion or swallowing large amounts may cause diarrhea or vomiting

12. Ecological Information

Ecotoxicity (sodium carbonate)

LC50 Other 300 mg/l Lepomis macrochirus

Acute toxicity fishes 96 h Static system Fresh water Experimental value

EC50 Other 200 - 227 mg/L

Acute toxicity invertebrates 48 h Ceriodaphnia sp. Semi-static Fresh water Experimental value

Toxicity algae and other aquatic EC50 242 mg/l 5 day(s) Algae Experimental value

(Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts) Aquatic Vertebrate LC50 – Carp – 5.6 mg/L Aquatic Invertebrate EC50 – Daphnia – 5.2 mg/L Terrestrial EC50 – quatic plants – 36 mg/L

Bioaccumlation is not expected to be significant.

13. Disposal Considerations

Waste Disposal Method

This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other state and local regulations. Dispose in accordance with local, provincial and federal regulations at a licensed hazardous waste disposal facility. It is the responsibility of the end user to determine if the material meets the criteria of hazardous waste at the time of disposal. Empty containers that have not been rinsed and purged, contain residual material and must be disposed of or recycled in accordance with local regulations.

Transport Information

United States Department of Transportation (U.S. DOT)

Not Regulated

International Maritime Dangerous Goods (IMO / IMDG)

Not Regulated

Interntational Air Transport Association (IATA)

Not Regulated

Transportation of Dangerous Goods (TDG)

Not Regulated

Agreement on Dangerous Goods by Road (ADR)

Not Regulated

Regulatory Information

U.S. Federal Regulations

Clean Air Act (CCA)

This product does not contant any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act

Section 12 (40 CFR 61)

EPA SARA Title III Chemical Lisitings

Section 302 Extremely Hazardous Substances (40 CFR 355)

None
Section 304 CERCLA Hazardous Substances (40 CFR 302)

None

Section 311/312 Hazard Class (40 CFR 370)

Acute: Chronic: No Fire: No Pressure: No Reactive: No

Yes

Section 313 Toxic Chemicals (40 CFR 372)

None

U.S. State Regulations

Massachusetts / New Jersey / Pennsylvania

No ingredient regulated by MA / NJ / PA Right-to-Know laws present.

International Regulations

Canadian Environmental

Protection Act

All of the components of this product are included on the Canadian Domestic Substances list (DSL).

Canadian Workplace Hazardous Materials Information System

(WHMIS)

D2B / Skin and eye irritant

Chemical Inventories

TSCA All ingredients are on the inventory.

DSL All ingredients are on the inventory.

EINECS All ingredients are on or exempted from the inventory.

AICS All ingredients are on the inventory.

IECSC All ingredients are on the inventory.

KECL All ingredients are on the inventory.

NZIOC All ingredients are on the inventory.

PICCS All ingredients are on the inventory.
PICCS All ingredients are on the inventory.

16. Other Information

National Fire This information is intended solely for individuals trained in the NFPA.

Protection AssociationHealth:20 - LEAST(NFPA) RatingsFlammability:01 - SLIGHT

 Reactivity:
 0
 2 - MODERATE

 Other
 3 - HIGH

4 - EXTREME

Revisions Date June 14, 2015

Disclaimer

Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. This information relates to the specific product designated and may not be valid for such product used in combination with any other materials or in any other processes. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is user's responsibility to satisfy themselves as to the suitability and completeness of such information for their own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement. End users are responsible for complaince with local, state, and federal regulations that may be pertinent in the storage, application, and disposal of this product.

Abbreviations and acronyms:

ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		2011/01/2000 00 /0
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	N/A	Not Available