

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : NDG-2001 Energized Electrical Cleaner

Material number : 32-210BDZ

#### Manufacturer or supplier's details

Company : Navy Brand Manufacturing Company

Address : 3670 Scarlet Oak Blvd  
St Louis, MO 63122

Telephone : 636-861-5500

#### Emergency telephone numbers

For SDS Information : CHEMTEL 800-255-3924

For a Medical Emergency :

For a Transportation : CHEMTEL 800-255-3924

Emergency

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	Aerosol containing a compressed gas
Colour	colourless
Odour	characteristic

#### GHS Classification

Gases under pressure : Compressed gas  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Carcinogenicity : Category 1A  
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

#### GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H280 Contains gas under pressure; may explode if heated.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H350 May cause cancer.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear eye protection/ face protection.  
P280 Wear protective gloves.  
P281 Use personal protective equipment as required.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.

### Storage:

P405 Store locked up.  
P410 Protect from sunlight.  
P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## Potential Health Effects

### Carcinogenicity:

<b>IARC</b>	Group 1: Carcinogenic to humans trichloroethylene	79-01-6
<b>ACGIH</b>	Suspected human carcinogen trichloroethylene	79-01-6
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
<b>NTP</b>	Reasonably anticipated to be a human carcinogen trichloroethylene	79-01-6

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
trichloroethylene	79-01-6	>= 90 - <= 100
carbon dioxide	124-38-9	>= 1 - < 5

## SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

- 
- |                         |   |
|-------------------------|---|
| If inhaled              | : Consult a physician after significant exposure.<br>If unconscious place in recovery position and seek medical advice.   |
| In case of skin contact | : If skin irritation persists, call a physician.<br>Wash off immediately with plenty of water for at least 15 minutes.<br>If on clothes, remove clothes.                  |
| In case of eye contact  | : Remove contact lenses.<br>Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.<br>Keep eye wide open while rinsing. |
| If swallowed            | : Keep respiratory tract clear.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.   |

---

### SECTION 5. FIREFIGHTING MEASURES

- |   |   |
|---|---|
| Unsuitable extinguishing media                | : High volume water jet   |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke<br>Chlorine compounds   |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Remove all sources of ignition.<br>Ensure adequate ventilation.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions   | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities.                        |

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Oxidizing agents

Storage temperature : < 49 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
trichloroethylene	79-01-6	TWA	10 ppm	ACGIH
		STEL	25 ppm	ACGIH
		TWA	100 ppm	OSHA Z-2
		CEIL	200 ppm	OSHA Z-2
		Peak	300 ppm	OSHA Z-2
		TWA	50 ppm 270 mg/m <sup>3</sup>	OSHA P0
		STEL	200 ppm 1,080 mg/m <sup>3</sup>	OSHA P0
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	10,000 ppm 18,000 mg/m <sup>3</sup>	OSHA P0
		STEL	30,000 ppm	OSHA P0

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

54,000 mg/m<sup>3</sup>

### Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
TRICHLOROETHENE	79-01-6	Trichloroacetic acid	Urine	End of shift at end of workweek	15 mg/l	ACGIH BEI
TRICHLOROETHENE		Trichloroethanol	In blood	End of shift at end of workweek	0.5 mg/l	ACGIH BEI
TRICHLOROETHENE		Trichloroethylene	In blood	End of shift at end of workweek		ACGIH BEI
TRICHLOROETHENE		Trichloroethylene	In end-exhaled air	End of shift at end of workweek		ACGIH BEI

### Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.  
In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Wear face-shield and protective suit for abnormal processing problems.  
Safety glasses  
Face-shield

Skin and body protection : impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aerosol containing a compressed gas

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

Colour	: colourless
Odour	: characteristic
Odour Threshold	: no data available
pH	: not applicable
Melting point/freezing point	: no data available
Boiling point	: no data available
Flash point	: no data available
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Density	: no data available
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: no data available
Heat of combustion	: 7.03 kJ/g

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents Aluminium
Hazardous decomposition products	: Carbon oxides Phosgene

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
---------------------	---

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

### Components:

#### **trichloroethylene:**

Acute oral toxicity : LD50 Oral rat: 4,920 mg/kg

Acute inhalation toxicity : LC50 mouse: 8450 ppm  
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal rabbit: > 20,000 mg/kg

### **Skin corrosion/irritation**

#### Product:

Remarks: May cause skin irritation in susceptible persons.

### **Serious eye damage/eye irritation**

#### Product:

Remarks: Eye irritation

### **Respiratory or skin sensitisation**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

no data available

### **Reproductive toxicity**

no data available

**trichloroethylene:**  
**carbon dioxide:**

### **STOT - single exposure**

no data available

### **STOT - repeated exposure**

no data available

### **Aspiration toxicity**

no data available

### **Further information**

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

no data available

#### Persistence and degradability

no data available

#### Bioaccumulative potential

##### Product:

Partition coefficient: n-octanol/water : Remarks: no data available

##### Components:

**trichloroethylene :**  
Partition coefficient: n-octanol/water : log Pow: 2.29

#### Mobility in soil

no data available

#### Other adverse effects

no data available

##### Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):



# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

UN1950, Aerosols, 2.2,

Transportation Regulation: IMDG (Vessel):  
UN1950, AEROSOLS, 2.2,

Transportation Regulation: IATA (Cargo Air):  
UN1950, Aerosols, non-flammable, 2.2,

Transportation Regulation: IATA (Passenger Air):  
UN1950, Aerosols, non-flammable, 2.2,

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, 2.2,

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
trichloroethylene	79-01-6	100	103

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Sudden Release of Pressure Hazard  
Acute Health Hazard  
Chronic Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
trichloroethylene 79-01-6 97.4999 %

**California Prop 65** WARNING! This product contains a chemical known to the State of California to cause cancer.  
trichloroethylene 79-01-6

#### The components of this product are reported in the following inventories:

**TSCA** On TSCA Inventory  
**DSL** All components of this product are on the Canadian DSL.  
**AICS** On the inventory, or in compliance with the inventory  
**NZIoC** On the inventory, or in compliance with the inventory  
**PICCS** On the inventory, or in compliance with the inventory  
**IECSC** On the inventory, or in compliance with the inventory

#### Inventory Acronym and Validity Area Legend:

# SAFETY DATA SHEET

## NDG-2001 ENERGIZED ELECTRICAL CLEANER

Version 1.1

Revision Date 04/24/2015


Print Date 06/16/2015

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA:



##### HMIS III:

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>2</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### OSHA GHS Label Information:

Hazard pictograms :



Signal word :

**Danger:**

Hazard statements :

Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May cause cancer.

Precautionary statements :

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection. Wear protective gloves. Use personal protective equipment as required.  
**Response:** IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.  
**Storage:** Store locked up. Protect from sunlight. Store in a well-ventilated place. Keep cool.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

**SAFETY DATA SHEET**

**NDG-2001 ENERGIZED ELECTRICAL CLEANER**

Version 1.1

Revision Date 04/24/2015

Print Date 06/16/2015

---

1001010