SAFETY DATA SHEET



1. Identification

Product identifier ST-0107 SOLVENT BLEND

Other means of identification

Product code 0301001

Recommended use Solvent **Recommended restrictions** None known.

Manufacturer

Superior Oil Company, Inc.

1402 North Capitol Avenue, Suite #100

Indianapolis, IN 46202

Information (317) 781-4400 Emergency (317) 781-4400

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Not classified.

Environmental hazards

Hazardous to the aquatic environment, acute

Category 3

Hazardous to the aquatic environment,

Category 3

long-term hazard

OSHA defined hazards

Not classified.

Label elements

Hazard symbol

None.

Signal word

None.

Hazard statement

H402

Harmful to aquatic life.

H412

Harmful to aquatic life with long lasting effects.

Prevention

P273 - Avoid release to the environment.

Response

Wash hands after handling,

Storage

Store away from incompatible materials.

Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Propylene Glycol		57 - 55-6	90-100
Sodium Nitrite		7632-00-0	0.1-10
Non-hazardous and other components below reportable levels			0.1-10

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret,

4. First-aid measures

Inhalation

If overexposure to vapors or mist, move to fresh air. Call a physician if breathing becomes difficult.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact **Ingestion**

Rinse with water. Get medical attention if irritation develops and persists.

Indication of immediate medical attention and special

Rinse mouth. Get medical attention if symptoms occur. Provide general supportive measures and treat symptomatically.

treatment needed **General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Material name: ST-0107 SOLVENT BLEND

SDS US

952 Version #: 03 Revision date: 06-06-2014 Issue date: 03-11-2014

5. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak, Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS, Avoid release to the environment, Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. AIHA Workplace En Components	vironmental Exposure Level (WEEL) Type	Guides Value	Form
Components	турс	*alac	
Propylene Glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
Biological limit values	No biological exposure limits noted f	or the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 1 be matched to conditions. If applica engineering controls to maintain airl	ble, use process enclosures, loc	al exhaust ventilation, or other

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended. Hand protection Wear protective gloves.

Skin protection Other

Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

limits have not been established, maintain airborne levels to an acceptable level.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Clear.

Physical state

Liquid. Liquid,

Form Color

Blue.

Odor

Typical Solvent.

Odor threshold

Not available.

Not available.

Melting point/freezing point

-74.2 °F (-59 °C) estimated

Initial boiling point and

212 °F (100 °C) estimated

boiling range Flash point

219.2 °F (104.0 °C) Lowest Flashing component estimated

Evaporation rate

Not available.

Flammability (solid, gas)

Not available. Upper/lower flammability or explosive limits

Flammability limit - lower 2.4 % estimated

(%)

Flammability limit -

17.4 % estimated

upper (%)

Explosive limit - lower

Not available.

(%)

Explosive limit - upper

Not available.

(%)

Vapor pressure

1.17 hPa 1 hPa = 0.75006 mmHg estimated

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)

Solubility (water)

Not available.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature

752 °F (400 °C) estimated

Decomposition temperature Viscosity

Not available. Not available.

Other information

Density

1.83 g/cm3 estimated

Flash point class

Combustible IIIB

Percent volatile

31.07 % estimated

Pounds per gallon

8.67 lb/gal

Specific gravity

1.04

VOC (Weight %)

26,36 % estimated

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Conditions to avoid

Stable under normal conditions.

Possibility of hazardous

No hazardous reaction known under normal conditions of use,

reactions

Suitable precautions should be utilized if using this product at temperatures above the flash point.

Contact with incompatible materials.

Incompatible materials

Strong oxidizers and strong acids,

Hazardous decomposition

products

No hazardous decomposition products are known if stored and applied as directed.

11. Toxicological information

Information on likely routes of exposure

Ingestion

Expected to be a low ingestion hazard.

Inhalation

Prolonged inhalation may be harmful.

Material name: ST-0107 SOLVENT BLEND

SDS US

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Propylene Glycol (CAS 57-55	i-6)	
Acute		
Oral		
LD50	Dog	19 g/kg
	Guinea pig	18.4 g/kg
	Mouse	23.9 g/kg
	Rabbit	18 g/kg
	Rat	30 g/kg
Other		
LD50	Mouse	6630 mg/kg
	Rat	6423 mg/kg
Sodium Nitrite (CAS 7632-00	0-0)	
Acute		
Inhalation		
LC50	Rat	5.5 mg/l, 4 Hours
Oral		
LD50	Mouse	175 mg/kg
	Rabbit	186 mg/kg
	Rat	85 mg/kg
Other		
LD50	Mouse	158 mg/kg
	Rat	65 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not available.

952 Version #: 03 Revision date: 06-06-2014 Issue date: 03-11-2014

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Material name: ST-0107 SOLVENT BLEND

Components **Species Test Results** Propylene Glycol (CAS 57-55-6) Aquatic Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours Sodium Nitrite (CAS 7632-00-0) Aquatic Crustacea EC50 Greasyback shrimp (Metapenaeus ensis) 16.14 - 26.61 mg/l, 48 hours Fish LC50 Rainbow trout, donaldson trout 0.15 - 0.25 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Partition coefficient n-octanol / water (log Kow)

Propylene Glycol

-0.92

Sodium Nitrite

-3.7, @ 25 C

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and

its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Waste from residues /

unused products

Dispose in accordance with all applicable regulations.

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

1.0 % One-Time Export Notification only.

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

NITRITES OF THE ALKALI METALS FOR USE IN

METALWORKING FLUIDS CONTAINING AMINES (CAS

7632-00-0)

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium Nitrite (CAS 7632-00-0)

Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312

Yes

Hazardous chemical

^{*} Estimates for product may be based on additional component data not shown.

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Sodium Nitrate	7631-99-4	0.1-10	
Sodium Nitrite	7632-00-0	0.1-10	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Sodium Nitrite (CAS 7632-00-0)

US. New Jersey Worker and Community Right-to-Know Act

Sodium Nitrite (CAS 7632-00-0)

500 LBS

US. Pennsylvania RTK - Hazardous Substances

Propylene Glycol (CAS 57-55-6) Sodium Nitrite (CAS 7632-00-0)

US. Rhode Island RTK

Sodium Nitrite (CAS 7632-00-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

03-11-2014 **Issue date Revision date** 06-06-2014 Version #

Disclaimer This information is based on data available to us and is accurate and reliable to the best of our

knowledge at the time of printing. However, no warranty is expressed or implied regarding the accuracy or completeness of the information contained herein. Final determination of the suitability of this material for the use contemplated is the sole responsibility of the user. Buyer assumes all

risk and liabilities. Buyer accepts and uses this material on these conditions.

Revision Information Physical & Chemical Properties: Multiple Properties

Material name: ST-0107 SOLVENT BLEND

952 Version #: 03 Revision date: 06-06-2014 Issue date: 03-11-2014

SDS HS

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).